

Environment Protection Licence

Licence - 6950



Environment,
Climate Change
& Water

Licence Details

Number:	6950
Anniversary Date:	01-April
Review Due Date:	20-Mar-2011

Licensee

CALTEX AUSTRALIA PETROLEUM PTY LTD
GPO BOX 3916
SYDNEY NSW 2001

Licence Type

Premises

Premises

CALTEX SYDNEY TERMINAL
PENRHYN RD
BANKSMEADOW NSW 2019

Scheduled Activity

Chemical storage

Fee Based Activity

Petroleum products storage - Sydney Basin

Scale

> 5000 - 100000 kL of active storage capacity

Region

Metropolitan
Level 3, NSW Govt Offices, 84 Crown Street
WOLLONGONG NSW 2500
Phone: 02 4224 4100
Fax: 02 4224 4110

PO Box 513 WOLLONGONG EAST
NSW 2520

Environment Protection Licence

Licence - 6950



Environment,
Climate Change
& Water

INFORMATION ABOUT THIS LICENCE	4
Dictionary.....	4
Responsibilities of licensee	4
Variation of licence conditions.....	4
Duration of licence	4
Licence review	4
Fees and annual return to be sent to the EPA.....	4
Transfer of licence	5
Public register and access to monitoring data	5
1 ADMINISTRATIVE CONDITIONS	5
A1 What the licence authorises and regulates	5
A2 Premises to which this licence applies.....	7
A3 Other activities.....	7
A4 Information supplied to the EPA	7
2 DISCHARGES TO AIR AND WATER AND APPLICATIONS TO LAND	7
P1 Location of monitoring/discharge points and areas	7
3 LIMIT CONDITIONS	9
L1 Pollution of waters	9
L2 Load limits	9
L3 Concentration limits	9
L4 Volume and mass limits.....	10
L5 Waste	10
L6 Noise Limits.....	11
4 OPERATING CONDITIONS	11
O1 Activities must be carried out in a competent manner	11
O2 Maintenance of plant and equipment	11
O3 Emergency Response Plan	11
O4 Processes and management	11
5 MONITORING AND RECORDING CONDITIONS	12
M1 Monitoring records.....	12
M2 Requirement to monitor concentration of pollutants discharged.....	12
M3 Testing methods - concentration limits.....	13
M4 Recording of pollution complaints	13
M5 Telephone complaints line	14
M6 Requirement to monitor volume or mass	14
M7 Requirement to monitor isoflow unit efficiency	15
6 REPORTING CONDITIONS	15
R1 Annual return documents.....	15
R2 Notification of environmental harm	16

Environment Protection Licence



Licence - 6950

R3	Written report.....	16
GENERAL CONDITIONS		17
G1	Copy of licence kept at the premises	17
G2	Signage	17
POLLUTION STUDIES AND REDUCTION PROGRAMS		18
U1	Contaminated Sites Assessment, Classification and Risk Ranking Requirement.....	18
U13	Contaminated Sites Assessment, Classification and Risk Ranking Requirement	18
U2	Contaminated Sites Risk Reduction Program	19
U14	Contaminated Sites Risk Reduction Program	19
U3	Pollution Reduction Programs (PRPs) Completed	20
SPECIAL CONDITIONS.....		20
Appendices		20
DICTIONARY		20
	General Dictionary	20



Information about this licence

Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 - 132 of the Act); and
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).

The EPA publication "A Guide to Licensing" contains information about how to calculate your licence fees.

Licence - 6950

The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

This licence is issued to:

CALTEX AUSTRALIA PETROLEUM PTY LTD
GPO BOX 3916
SYDNEY NSW 2001

subject to the conditions which follow.

1 Administrative conditions

A1 What the licence authorises and regulates

A1.1 Not applicable.

A1.2 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity
Chemical storage

Fee Based Activity	Scale
Petroleum products storage - Sydney Basin	> 5000 - 100000 kL of active storage capacity

A1.3 Not applicable.

A2 Premises to which this licence applies

A2.1 The licence applies to the following premises:

Premises Details
CALTEX SYDNEY TERMINAL
PENRHYN RD
BANKSMEADOW
NSW
2019
LOT 1 DP 452427, LOT 2 DP 636590, AND LOT 1 DP 626767.

A3 Other activities

A3.1 Not applicable.

A4 Information supplied to the EPA

A4.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

- (a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and
- (b) the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

2 Discharges to air and water and applications to land**P1 Location of monitoring/discharge points and areas**

Licence - 6950

- P1.1 The following points referred to in the table below are identified in this licence for the purposes of monitoring and/or the setting of limits for the emission of pollutants to the air from the point.

Air

EPA Identification no.	Type of Monitoring Point	Type of Discharge Point	Description of Location
2	Discharge to air Air emissions monitoring	Discharge to air Air emissions monitoring	John Zink Gasoline Vapour Recovery Unit serving the road tanker filling gantry labelled "Discharge Point 2" on Site Plan titled "Stormwater drainage-Site Plan" (Drg No. H0010-2) submitted to the EPA with Licence Information Form dated 1 April 2000.

- P1.2 The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

- P1.3 The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.

Water and land

EPA identification no.	Type of monitoring point	Type of discharge point	Description of location
1	Discharge to waters Volume monitoring	Discharge to waters Volume monitoring	The discharge weir of the suspended solids separator labelled "Discharge Point 1" on Site Plan titled "Stormwater Drainage - Site Plan" (Drg No. H0010-2) submitted to the EPA with Licence Information Form dated 1 April 2000.
3	Discharge quality monitoring		Monitoring location labelled as "Monitoring Point 3" on Site Plan titled "Stormwater Drainage-Site Plan" (Drg No. H0010-2) submitted to the EPA with Licence Information Form dated 1 April 2000.
4	Groundwater quality monitoring		Off-site wells labelled OS2, OS3, OS4, OS5, OS6, and OS7 on drawing titled "Caltex Banksmeadow Seaboard Terminal" (Drg No. J-10-05007) on EPA File 500729A3/02.

3 Limit conditions

L1 Pollution of waters

L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

L2 Load limits

L2.1 The actual load of an assessable pollutant discharged from the premises during the reporting period must not exceed the load limit specified for the assessable pollutant in the table below.

Note: An assessable pollutant is a pollutant which affects the licence fee payable for the licence.

L2.2 The actual load of an assessable pollutant must be calculated in accordance with the relevant load calculation protocol.

Assessable Pollutant	Load limit (kg)
Benzene (Air)	1200
Volatile organic compounds (Air)	125000
Volatile organic compounds - Summer (Air)	

L3 Concentration limits

L3.1 For each monitoring/discharge point or utilisation area specified in the table\&s below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.

L3.2 Where a pH quality limit is specified in the table, the specified percentage of samples must be within the specified ranges.

L3.3 To avoid any doubt, this condition does not authorise the pollution of waters by any pollutant other than those specified in the table/s.

Air

POINT 2

Pollutant	Units of measure	100 percentile concentration limit
Organic vapours	milligrams per litre	110

Licence - 6950

Water and Land

POINT 1

Pollutant	Units of Measure	50 percentile concentration limit	90 percentile concentration limit	3DGM concentration limit	100 percentile Concentration Limit
Oil and Grease	milligrams per litre				10
pH	pH				6.5-8.5
Total suspended solids	milligrams per litre				30
Biochemical oxygen demand	milligrams per litre				20

L4 Volume and mass limits

L4.1 For each discharge point or utilisation area specified below (by a point number), the volume/mass of:

- (a) liquids discharged to water; or;
- (b) solids or liquids applied to the area;

must not exceed the volume/mass limit specified for that discharge point or area.

Point	Unit of measure	Volume/Mass Limit
1	kilolitres per day	1728

L5 Waste

L5.1 The licensee must not cause, permit or allow any waste to be received at the premises, except the wastes expressly referred to in the column titled "Waste" and meeting the definition, if any, in the column titled "Description" in the table below.

Any waste received at the premises must only be used for the activities referred to in relation to that waste in the column titled "Activity" in the table below.

Any waste received at the premises is subject to those limits or conditions, if any, referred to in relation to that waste contained in the column titled "Other Limits" in the table below.

Condition L5.1 does not limit any other conditions in this licence.

Code	Waste	Description	Activity	Other Limits
NA	General or Specific exempted waste	Waste that meets all the conditions of a resource recovery exemption under Clause 51A of the <i>Protection of the Environment Operations (Waste) Regulation 2005</i>	As specified in each particular resource recovery exemption.	NA
NA		Any waste received on site that is below licensing thresholds in Schedule 1 of the POEO Act, as in		NA

force from time to time

L6 Noise Limits

L6.1 Not applicable.

4 Operating conditions

O1 Activities must be carried out in a competent manner

O1.1 Licensed activities must be carried out in a competent manner.

This includes:

- (a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and
- (b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

O2 Maintenance of plant and equipment

O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:

- (a) must be maintained in a proper and efficient condition; and
- (b) must be operated in a proper and efficient manner.

O3 Emergency Response Plan

O3.1 The licensee must maintain, and implement as necessary, a current emergency response plan for the premises. The licensee must keep the emergency response plan on the premises at all times. The emergency response plan must document systems and procedures to deal with all types of incidents (e.g. spills, explosions or fire) that may occur at the premises or that may be associated with activities that occur at the premises and which are likely to cause harm to the environment. If a current emergency response plan does not exist at the date on which this condition is attached to the licence, the licensee must develop an emergency response plan within three months of that date.

O4 Processes and management

O4.1 The licensee must ensure that any liquid and/or non liquid waste generated and/or stored at the premises is assessed and classified in accordance with the DECC Waste Classification Guidelines as in force from time to time.

O4.2 The licensee must ensure that waste identified for recycling is stored separately from other waste.

5 Monitoring and recording conditions

M1 Monitoring records

- M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.
- M1.2 All records required to be kept by this licence must be:
- in a legible form, or in a form that can readily be reduced to a legible form;
 - kept for at least 4 years after the monitoring or event to which they relate took place; and
 - produced in a legible form to any authorised officer of the EPA who asks to see them.
- M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:
- the date(s) on which the sample was taken;
 - the time(s) at which the sample was collected;
 - the point at which the sample was taken; and
 - the name of the person who collected the sample.

M2 Requirement to monitor concentration of pollutants discharged

- M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:

POINT 2

Pollutant	Units of measure	Frequency	Sampling Method
Organic vapours	milligrams per litre	Special Frequency 1	TM-20

POINT 3

Pollutant	Units of measure	Frequency	Sampling Method
Biochemical oxygen demand	milligrams per litre	Daily during any discharge	Grab sample
Oil and Grease	milligrams per litre	Daily during any discharge	Grab sample
Total suspended solids	milligrams per litre	Daily during any discharge	Grab sample
pH	pH	Daily during any discharge	Grab sample

Licence - 6950

POINT 4

Pollutant	Units of measure	Frequency	Sampling Method
Benzene	milligrams per litre	Every 6 months	Grab sample
Ethyl benzene	milligrams per litre	Every 6 months	Grab sample
Toluene	milligrams per litre	Every 6 months	Grab sample
Xylene	milligrams per litre	Every 6 months	Grab sample
hydrocarbons	milligrams per litre	Every 6 months	Grab sample

For the purpose of the Table/s above:

- (i) Special Frequency 1 means samples must be collected and analysed at least once each year between the months of October and January inclusive.
- (ii) The pollutant hydrocarbon means free phase hydrocarbons.

M3 Testing methods - concentration limits

M3.1 Monitoring for the concentration of a pollutant emitted to the air required to be conducted by this licence must be done in accordance with:

- (a) any methodology which is required by or under the Act to be used for the testing of the concentration of the pollutant; or
- (b) if no such requirement is imposed by or under the Act, any methodology which a condition of this licence requires to be used for that testing; or
- (c) if no such requirement is imposed by or under the Act or by a condition of this licence, any methodology approved in writing by the EPA for the purposes of that testing prior to the testing taking place.

Note: The Protection of the Environment Operations (Clean Air) Regulation 2002 requires testing for certain purposes to be conducted in accordance with test methods contained in the publication "Approved Methods for the Sampling and Analysis of Air Pollutants in NSW".

M3.2 Subject to any express provision to the contrary in this licence, monitoring for the concentration of a pollutant discharged to waters or applied to a utilisation area must be done in accordance with the Approved Methods Publication unless another method has been approved by the EPA in writing before any tests are conducted.

Note: Testing methods - load limit

Note: Clause 18 (1), (1A) and (2) of the Protection of the Environment Operations (General) Regulation 1998 requires that monitoring of actual loads of assessable pollutants listed in L2.1 must be carried out in accordance with the testing method set out in the relevant load calculation protocol for the fee-based activity classification listed in condition A1.2.

M4 Recording of pollution complaints



Licence - 6950

- M4.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.
- M4.2 The record must include details of the following:
- the date and time of the complaint;
 - the method by which the complaint was made;
 - any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
 - the nature of the complaint;
 - the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and
 - if no action was taken by the licensee, the reasons why no action was taken.
- M4.3 The record of a complaint must be kept for at least 4 years after the complaint was made.
- M4.4 The record must be produced to any authorised officer of the EPA who asks to see them.

M5 Telephone complaints line

- M5.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.
- M5.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.
- M5.3 Conditions M5.1 and M5.2 do not apply until 3 months after:
- the date of the issue of this licence or
 - if this licence is a replacement licence within the meaning of the Protection of the Environment Operations (Savings and Transitional) Regulation 1998, the date on which a copy of the licence was served on the licensee under clause 10 of that regulation.

M6 Requirement to monitor volume or mass

- M6.1 For each discharge point or utilisation area specified below, the licensee must monitor:
- the volume of liquids discharged to water or applied to the area;
 - the mass of solids applied to the area;
 - the mass of pollutants emitted to the air;

at the frequency and using the method and units of measure, specified below.

POINT 1

Frequency	Unit Of Measure	Sampling Method
Continuous during discharge	kilolitres per day	Ultrasonic flow meter

M7 Requirement to monitor isoflow unit efficiency

- M7.1 The licensee must, prior to the first use of the Isoflow Unit each calendar year, undertake a compliance test of the efficiency of the Isoflow Unit. The testing must be done in the month of April preceding the first use of the Unit for that year.

6 Reporting conditions

R1 Annual return documents

What documents must an Annual Return contain?

- R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising:
- (a) a Statement of Compliance; and
 - (b) a Monitoring and Complaints Summary.
- A copy of the form in which the Annual Return must be supplied to the EPA accompanies this licence. Before the end of each reporting period, the EPA will provide to the licensee a copy of the form that must be completed and returned to the EPA.

Period covered by Annual Return

- R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.

Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.

- R1.3 Where this licence is transferred from the licensee to a new licensee:
- (a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
 - (b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.

Note: An application to transfer a licence must be made in the approved form for this purpose.

- R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:
- (a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or
 - (b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.

Deadline for Annual Return

Licence - 6950

- R1.5 The Annual Return for the reporting period must be supplied to the EPA by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').

Notification where actual load can not be calculated

- R1.6 Where the licensee is unable to complete a part of the Annual Return by the due date because the licensee was unable to calculate the actual load of a pollutant due to circumstances beyond the licensee's control, the licensee must notify the EPA in writing as soon as practicable, and in any event not later than the due date. The notification must specify:
- (a) the assessable pollutants for which the actual load could not be calculated; and
 - (b) the relevant circumstances that were beyond the control of the licensee.

Licensee must retain copy of Annual Return

- R1.7 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.

Certifying of Statement of Compliance and signing of Monitoring and Complaints Summary

- R1.8 Within the Annual Return, the Statement of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:
- (a) the licence holder; or
 - (b) by a person approved in writing by the EPA to sign on behalf of the licence holder.
- R1.9 A person who has been given written approval to certify a certificate of compliance under a licence issued under the Pollution Control Act 1970 is taken to be approved for the purpose of this condition until the date of first review of this licence.

R2 Notification of environmental harm

Note: The licensee or its employees must notify the EPA of incidents causing or threatening material harm to the environment as soon as practicable after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

- R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.
- R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which the incident occurred.

R3 Written report

- R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:
- (a) where this licence applies to premises, an event has occurred at the premises; or
 - (b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence,

Licence - 6950

and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.

- R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.
- R3.3 The request may require a report which includes any or all of the following information:
- (a) the cause, time and duration of the event;
 - (b) the type, volume and concentration of every pollutant discharged as a result of the event;
 - (c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;
 - (d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;
 - (e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;
 - (f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and
 - (g) any other relevant matters.
- R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

General conditions

G1 Copy of licence kept at the premises

- G1.1 A copy of this licence must be kept at the premises to which the licence applies.
- G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.
- G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

G2 Signage

- G2.1 Each monitoring and discharge point must be clearly marked by a sign that indicates the EPA point identification number.

Pollution studies and reduction programs

U1 Contaminated Sites Assessment, Classification and Risk Ranking Requirement

Objective

The objective of this condition is to develop and implement a risk reduction program relevant to existing operations and land and groundwater contamination with respect to current and past activities undertaken for on-site and off-site areas associated with the premises. The comprehensive risk reduction program will be developed from initial works and studies that are comprised of a preliminary soil and groundwater contamination risk reduction plan, a comprehensive contaminated site assessment and risk ranking; a stakeholder consultation plan; procedures for on-going management of contaminated site risk; and an on-going soil and groundwater monitoring plan. Factors considered in contaminated site assessment and risk ranking will include impact or potential impact of soil and/or groundwater contamination on the environment, Aboriginal heritage, ecological systems and humans.

U1.1 Soil and Groundwater Monitoring Plan

On or before 4 June 2008 and every two years thereafter, the licensee must review the monitoring program and provide an updated monitoring plan prepared by an appropriately qualified and experienced contaminated land consultant to The Manager, Sydney Industry EPA PO Box 668 Parramatta NSW 2124.

The monitoring plan must be in accordance with the guidelines made or approved by the EPA under s.105 of the Act (a list of these guidelines is attached). In particular the monitoring plan must be in accordance with the *National Environment Protection (Assessment of Site Contamination) Measure* (NEPM 1999).

U2 Contaminated Sites Risk Reduction Program

Objective

The objective of this condition is to establish a program for reduction of risk to human health or any other aspect of the environment associated with contaminated soil and/or groundwater. Risk reduction measures may include preventing further contamination from sources identified in the in Condition U1 of this licence, by installing long term contamination controls, and minimising the human and environmental impact existing contamination by undertaking site remediation works for areas to reduce the risk of human and environmental impact.

U2.1 General Requirement

On or before 10 December 2007, the licensee must prepare and provide a Contaminated Site Risk Reduction Plan (the plan) as a written report to the Manager Sydney Industry PO Box 668 Parramatta NSW 2124. The plan must clearly include but not be limited to the following details:

- a) Provide details of contaminated site risk reduction measures and/or programs that would eliminate source(s) of contaminant(s), or restrict the pathway for migration of existing contaminant(s), or reduce the likelihood of the adverse impact in the event of a future release. This element of the plan must be developed from the reports required under Condition U1 of this licence;
- b) Select the preferred risk reduction measures and/or programs to provide the most reduction in contaminated sites risk with due consideration of cost-benefit and period of time required to achieve such risk reduction; and
- c) Schedule of works for preferred measures/programs identified by this condition.

U3 Pollution Reduction Programs (PRPs) Completed

PRP No	PRP	Description	Completed Date
1	Preliminary Contaminated Site Risk Reduction Plan	Scope interim contaminated site risk reduction measures, select preferred risk reduction option and provide timelines for implementation.	Sep 2006
2	Soil and Groundwater Contamination Assessment, Classification and Risk Ranking Report	Prepare and implement a contaminated site assessment and risk ranking plan.	Mar 2007
3	Stakeholder Consultation Plan	Provide a report detailing methodology and scheduling of consultation with stakeholders in management of contaminated site risk.	Apr 2007
4	Soil and Groundwater Monitoring Plan	Provide a report detailing methodology and scheduling of groundwater monitoring.	Jun 2007

Special conditions

E1.1 Not applicable.

Appendices**Dictionary****General Dictionary**

In this licence, unless the contrary is indicated, the terms below have the following meanings:

3DGM [in relation to a concentration limit]

Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples

Licence - 6950

Act	Means the Protection of the Environment Operations Act 1997
activity	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997
actual load	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 1998
AM	Together with a number, means an ambient air monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
AMG	Australian Map Grid
anniversary date	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
annual return	Is defined in R1.1
Approved Methods Publication	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 1998
assessable pollutants	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 1998
BOD	Means biochemical oxygen demand
CEM	Together with a number, means a continuous emission monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
COD	Means chemical oxygen demand
composite sample	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.
cond.	Means conductivity
environment	Has the same meaning as in the Protection of the Environment Operations Act 1997
environment protection legislation	Has the same meaning as in the Protection of the Environment Administration Act 1991
EPA	Means Environment Protection Authority of New South Wales.
fee-based activity classification	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 1998.
flow weighted composite sample	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.
general solid waste (non-putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
general solid waste (putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
grab sample	Means a single sample taken at a point at a single time
hazardous waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
licensee	Means the licence holder described at the front of this licence



Licence - 6950

load calculation protocol	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 1998
local authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
material harm	Has the same meaning as in section 147 Protection of the Environment Operations Act 1997
MBAS	Means methylene blue active substances
Minister	Means the Minister administering the Protection of the Environment Operations Act 1997
mobile plant	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
motor vehicle	Has the same meaning as in the Protection of the Environment Operations Act 1997
O&G	Means oil and grease
percentile [in relation to a concentration limit of a sample]	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.
plant	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.
pollution of waters [or water pollution]	Has the same meaning as in the Protection of the Environment Operations Act 1997
premises	Means the premises described in condition A2.1
public authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
regional office	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence
reporting period	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
restricted solid waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
scheduled activity	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997
special waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
TM	Together with a number, means a test method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
TSP	Means total suspended particles
TSS	Means total suspended solids
Type 1 substance	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
Type 2 substance	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
utilisation area	Means any area shown as a utilisation area on a map submitted with the application for this licence
waste	Has the same meaning as in the Protection of the Environment Operations Act 1997



Licence - 6950

waste type

Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non-putrescible), special waste or hazardous waste

Mr Bernie Weir

Environment Protection Authority

(By Delegation)

Date of this edition - 06-Aug-2010

End Notes

- 1 Licence varied by notice 1015272, issued on 08-Jan-2003, which came into effect on 02-Feb-2003.
- 2 Licence varied by notice 1056384, issued on 29-Mar-2006, which came into effect on 23-Apr-2006.
- 3 Licence varied by change to legislation, issued on 28-Mar-2008, which came into effect on 28-Mar-2008.
- 4 Licence varied by notice 1088788, issued on 08-Oct-2008, which came into effect on 08-Oct-2008.
- 5 Condition A1.3 Not applicable varied by notice issued on <issue date> which came into effect on <effective date>
- 6 Licence varied by notice 1110161, issued on 06-Aug-2010, which came into effect on 06-Aug-2010.